# SAFETY DATA SHEET

This SDS complies with REACH 1907/2006 and 2001/58/EC, GHS REVISION 5, OSHA 29CFR 1910.1200

# **Section 1: Chemical Product and Company Identification**

**Product Name:** 

**PreKote®** 

Formula:

Preparation/Mixture

**Product Use:** 

Non-chromated surface pretreatment

Manufacturer's Name:

Address:

Pantheon Enterprises, Inc. 225 West Deer Valley Road

Phoenix, AZ 85027

Safety Data Sheet Competent Person:

safety@pantheonchemical.com

Supplier's Name:

Address:

Pantheon Enterprises, Inc. 225 West Deer Valley Road

Phoenix, AZ 85027

Telephone Number: Toll Free:

Fax:

1-888-608-7888 623-516-0414

623-780-2296

**Emergency Phone Number:** 

Chemtrec 24 hrs: 1-800-424-9300

Date Prepared: Date Reviewed: March 11, 2015 May 3, 2016

## Section 2: Hazards Identification

**GHS Hazard Class:** 

Skin irritation (Category 2), H315 Eye irritation (Category 2), H319

### GHS Label elements, including precautionary statements:

Pictogram:



Signal word:

Warning

Hazard Statement(s):

H315 H319

P102

Causes skin irritation. Causes serious eye irritation.

Precautionary Statement(s):

P103 P264 P280 Keep out of reach of children Read label before use

Wash skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of soap and water.

P302+P352 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/ attention. P337+P313 P362 Take off contaminated clothing and wash before reuse.

Hazard(s) Not Otherwise Classified (HNOC):

HAZARD CLASSIFICATION:

Not classified

Not classified as hazardous based on IATA, IMDG, and DOT.

FIRE AND EXPLOSION:

PDOC-30-253 Rev.: 8.0

Not considered flammable or combustible.

POTENTIAL HEALTH EFFECTS:

<10 % of mixture consists of ingredients of unknown acute toxicity.

Pantheon Enterprises, Inc. PreKote® SDS Page 1 of 6

#### NFPA RATINGS:

COMPONENT	Health	Plammability	Reactivity	Special
	(Blue)	(Red)	(Yellow)	(White)
PreKote®	1	0	0	NONE

# Section 3: Composition / Information on Ingredients

PRODUCT COMPOSITION	APPROX %	CAS NO.	CANADA DSL
Water	<95	7732-18-5	Y
DGBE (Diethylene glycol monobutyl ether)	<5	112-34-5	Y

## Section 4: First Aid Measures

**Description of First Aid Measures** 

Inhalation: No fumes are emitted when using this product. No adverse effects are anticipated

from inhalation.

**Skin Contact:** Immediately flush skin with plenty of soap and water for at least 15 minutes. Remove

contaminated clothing.

**Eve Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Get medical

attention if irritation persists.

If swallowed do not induce vomiting, give large quantities of water to drink. Never Ingestion:

give anything to an unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms/Injuries After Inhalation: No adverse effects are anticipated from inhalation.

May cause mild skin irritation. Wash thoroughly with soap and rinse with water. Symptoms/Injuries After Skin Contact: Symptoms/Injuries After Eye Contact: Irritation may result from contact with the eye. Rinse immediately with water and

seek medical advice.

May be harmful if swallowed. Drink large amount of water. Do NOT induce Symptoms/Injuries After Ingestion:

vomiting. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately.

# Section 5: Fire-fighting Measures

Suitable extinguishing media Material does not burn. Use extinguishing agent suitable for the type of

surrounding fire.

Special hazards arising from the substance or mixture No data available.

Protective actions fire-fighters Wear standard protective equipment and self-contained breathing

apparatus for firefighting if necessary.

Further information None.

## Section 6: Accidental Release Measures

### Personal precautions, protective equipment, and emergency procedures

Wear proper personal protective equipment. Avoid breathing vapors, mist or gas.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent spills or contaminated rinse water from entering sewers or watercourses.

## Methods and materials for containment and cleaning up

In case of small spills, absorb with inert materials such as earth or dry sand. Place in a chemical waste container.

In case of large spills, dike the spill, if possible. Call emergency services. Absorb the chemical. Warn other workers of spill.

### Reference to other Sections

For personal protection reference section 8. For disposal reference section 13.

PDOC-30-253 Rev.: 8.0 Pantheon Enterprises, Inc. PreKote®

# Section 7: Handling and Storage

### Precautions for safe handling

Wear proper protective equipment and avoid contact with skin, eyes, or clothing. Wash hands after handling this product. Keep out of reach of children.

### Conditions for safe storage, including any incompatibilities

Follow all applicable local regulations for handling and storage. Do not store in temperatures below 32 F. Utilize chemical segregation from acids.

#### Specific uses

This product is a non-chromated surface pretreatment for preparing metal or composites for painting.

## **Section 8: Exposure Controls/Personal Protection**

#### **Control Parameters**

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH REL	U.S. WEEL TWA	EU IOELV TWA (mg/m³)	United Kingdom WEL	Canada OEL	Mexico OEL
DGBE		<b></b>				10 ppm; 10 mg/m <sup>3;</sup> STEL15 ppm, 15 mins.	<b></b>	

Exposure controls

Ventilation: Always provide good general, mechanical room ventilation where this

chemical/material is used.

**Respiratory Protection:** No special precautions.

Protective Gloves: Wear chemical impervious gloves at all times while working with this product. Eye

**Protection:** Recommend eye protection using safety glasses or goggles.

Skin Protection: Suitable protective clothing to prevent skin contact

Work/Hygiene Practices: Avoid contact with skin and eyes. Wash hands and face after handling.

Protective Clothing: Wear suitable protective clothing to prevent skin contact.

Other Equipment: Make safety shower, eyewash stations, and hand washing equipment available in the

work area.

# Section 9: Physical and Chemical Properties

Appearance/Color:

Physical State:
Clear Amber
Liquid
Odor:
None
Odor Threshold:
Not Available
pH:
10.5-11.49

Melting Point/Freezing Point: 28 °F (-2 °C) Freezing point

Initial Boiling Point and Boiling Range: 219 °F (104 °C) Not Available Flash Point: **Evaporation Rate:** <1 (Butyl Acetate =1) Flammability Not Applicable for product 17.3 mmHg @ 20°C Vapor Pressure: DGBE: 0.02 mmHg @ 20°C Vapor Density (AIR = 1): Not Available 0.96--1.04 (Water) Relative Density (@25 °C): Solubility (ies) 100% in water

Oxidizing Properties
Partition Coefficient: n-octanol/water:
Autoignition Temperature:
Decomposition Temperature:
Viscosity:
Not Available
Not Available
Not Available

PDOC-30-253 Rev.: 8.0

Pantheon Enterprises, Inc.
PreKote®
SDS Page 3 of 6

Corrosive: No

# Section 10: Stability and Reactivity

Stable. Stability: Conditions to avoid: None

Strong acid solutions. This product will have an exothermic reaction with strong Incompatibility (Materials to avoid):

acid solutions.

**Hazardous Decomposition Products:** 

None Will not occur Hazardous Polymerization:

# Section 11: Toxicological Information

There is no toxicological information available for the product.

GHS Required Criteria	Toxicity Criteria	Data	Comments	Chemical Constituent
Acute Toxicity	ATE <sub>mix</sub> ,Oral, Rat	47,988mg/kg		Product
-	ATE <sub>mix</sub> , Dermal, Rabbit	34,623 mg/kg		Product
	$ATE_{mix}$ , Inhalation (dust/mist), Rat	14,716 mg/l		Product
·	LD <sub>50</sub> Oral Rat	5660 mg/kg		DGBE
	LD <sub>50</sub> Dermal Rat	2700 mg/kg		DGBE
	LD <sub>50</sub> Oral Rat	4500 mg/kg		DGBE
Skin Corrosion/Irritation		Not available	1	
Serious Eye Damage / Eye Irritation	Eye – rabbit		Severe	DGBE
Respiratory or Skin Sensitization		Not available		
Germ Cell Mutagenicity		Not available		
Carcinogenicity		Not listed	IARC	
· · · · · · · · · · · · · · · · · · ·		Not listed	NTP	
		Not listed	OSHA	
		Not available		
Reproductive Toxicity		Not available		
STOST Single Exposure		Not available	1	
STOST - Repeated Exposure		Not available		
Aspiration Hazard		Not available		
Ames test		Not available		

ATE<sub>mix</sub>= Acute Toxicity Estimate of Mixture

PDOC-30-253 Rev.: 8.0

STOST = Specific Target Organ Systemic Toxicity

OTHER INFORMATION: Only selected Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information.

# Section 12: Ecological Information

	Environmental Impacts	Chemical Constituents
Toxicity:	Acute LC50=1300000 ug/L Fresh water Fish - Lepomis macrochirus – 33 to 75 minutes, 96hr	DGBE
Bioaccumulative potential	Log Pow = 0.3	DGBE
Persistence and degradability:	No information is available.	
Mobility in soil:	No information is available.	
PBT and vPvB assessment:	No information is available.	
Other adverse effects:	No information is available.	

Note: Not all of the ingredients have been tested for ecotoxicity.

## **Section 13: Disposal Considerations**

#### Waste from residues/unused products

Completely rinse container prior to disposal. Dispose of in accordance with Federal, state, and local regulations. Large quantities of waste may require adjustment to a neutral pH. None of the chemicals used in the product are listed as a Priority Pollutant in Appendix A to 40 CFR, Part 423—126 Priority Pollutants.

### Contaminated packaging

Contaminated packaging material should be disposed of as stated above for residues and unused product.

## Section 14: Transport Information

**DOT TRANSPORT:** Not Regulated

ADR = International Carriage of Dangerous Goods by Road Not Regulated

RAIL TRANSPORT: Not Regulated

SEA TRANSPORT: IMDG Not Regulated

AIR TRANSPORT: IATA/ICAO Not Regulated

## Section 15: Regulatory Information

TOXIC SUBSTANCES CONTROL ACT (TSCA) STATUS:

This product is in compliance with rules, regulations, and/or orders of TSCA.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA) TITLE III SECTION 313 SUPPLIER NOTIFICATION:

This regulation requires submission of annual reports of toxic chemical(s) that appear in section 313 of the Emergency Planning and Community Right To Know Act of 1986 and 40 CFR 372. This information must be included in all SDS's that are copied and distributed for the material.

The Section 313 toxic chemicals contained in this product are: Glycol Ethers

### **CALIFORNIA PROPOSITION 65:**

This regulation requires a warning for California Proposition 65 chemical(s) under the statute.

The California proposition 65 chemical(s) contained in this product are: None

### STATE RIGHT-TO-KNOW TOXIC SUBSTANCE OR HAZARDOUS SUBSTANCE LIST:

Florida Toxic Substance(s):

Massachusetts's hazardous substance(s):

Illinois

Mone
Michigan

None

## CLEAN AIR ACT AMENDMENTS (1990):

SECTION 112. HAZARDOUS AIR POLLUTANTS:

This substance is listed Hazardous Air Pollutant Glycol Ethers

CLEAN WATER ACT: None of the chemicals used in the product are listed as a Priority Pollutant in Appendix A to 40 CFR, Part 423—126 Priority Pollutants.

#### IAPAN

ENCS (Existing and New Chemical Substances): All components comply with ENCS inventory.

### CANADA:

WHMIS-2015: This SDS is in compliance with WHMIS 2015 (HPR / new HPA).

#### **EUROPEAN UNION:**

This product has been reviewed for compliance with the following European Community Directives: REACH 1907/2006; Regulation (EC) No 1272/2008 on classification, labeling, and packaging (CLP) of substances and mixtures. None of the chemicals used in this product are on the EU's REACH SVHC (Substances of Very High Concern) chemicals list (as of June 16, 2014).

PDOC-30-253 Rev.: 8.0 Pantheon Enterprises, Inc.
PreKote®

# Section 16: Other Information

Revision Number:

8.0

Revision explanation Information Sources: Information on TS-1 in sections 3, 11, 12, 16 updated RTECS, ECHA, REACH, OSHA 29CFR 1910.1200

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of Pantheon Enterprises, Inc.'s knowledge; however, Pantheon Enterprises, Inc. makes no warranty whatsoever, expressed or implied, of MERCHANTIBILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Pantheon Enterprises, Inc. assumes no responsibility for the injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.

PDOC-30-253 Rev.: 8.0

Pantheon Enterprises, Inc.

PreKote®

SDS Page 6 of 6